


MARUSON TECHNOLOGY

Surge Protector

This surge protector is recommended for Computers, Stereos, VCR's, TV's
Small Appliances and many other Electrical and Electronic Items

SUG-B602



STANDARD FEATURES:

- * 2 ft / 14 gauge heavy-duty power cord with right-angle plug for convenient connectivity
- * Isolated Power Filter Technology to reduce line noise
- * UL 1449 rating of 330V for safety
- * Diagnostic indicator lights to signal problems before equipment is connected
- * Rugged. Flame-resistant plastic casing to prevent damage to intricate circuitry

SPECIFICATIONS:

Electrical Rating:	120 VAC, 15 Amps (1,800 Watts)
Outputs:	6
Max Surge Voltage:	6 KV
Max Surge Dissipation:	110 Joules
Max SPIKE Current:	9000 Amps
Max Clamping Ratio:	1.2 : 1
Clamping Voltage:	330 Volts
Clamping Response Time:	Less than 1 nanoseconds
Temperature Range	- 40 C to + 80 C
EMI / RFI:	Up to 10 dB

\$2,500
Equipment Insurance



**LIFETIME
WARRANTY**

Maruson Technology Corp


Tel: 626.912.8388 Fax: 626.912.8680 Web Site: www.MarusonUSA.com

MARUSON TECHNOLOGY

Surge Protector

This surge protector is recommended for Computers, Stereos, VCR's, TV's Small Appliances and many other Electrical and Electronic Items

SUG-B704



STANDARD FEATURES:

- * 4 ft / 14 gauge heavy-duty power cord with right-angle plug for convenient connectivity
- * Isolated Power Filter Technology to reduce line noise
- * UL 1449 rating of 330V for safety
- * Diagnostic indicator lights to signal problems before equipment is connected
- * Rugged. Flame-resistant plastic casing to prevent damage to intricate circuitry

SPECIFICATIONS:

Electrical Rating:	120 VAC, 15 Amps (1,800 Watts)
Outputs:	7
Max Surge Voltage:	6 KV
Max Surge Dissipation:	360 Joules
Max SPIKE Current:	19500 Amps
Max Clamping Ratio:	1.2 : 1
Clamping Voltage:	330 Volts
Clamping Response Time:	Less than 1 nanoseconds
Temperature Range	- 40 C to + 80 C
EMI / RFI:	Up to 10 dB

\$5,000
Equipment Insurance



**LIFETIME
WARRANTY**


Maruson Technology Corp

Tel: 626.912.8388 Fax: 626.912.8680 Web Site: www.MarusonUSA.com

MARUSON TECHNOLOGY

Surge Protector

This surge protector is recommended for Computers, Stereos, VCR's, TV's Small Appliances and many other Electrical and Electronic Items



STANDARD FEATURES:

- * 6 ft / 14 gauge heavy-duty power cord with right-angle plug for convenient connectivity
- * Isolated Power Filter Technology to reduce line noise
- * UL 1449 rating of 330V for safety
- * Diagnostic indicator lights to signal problems before equipment is connected
- * Rugged. Flame-resistant plastic casing to prevent damage to intricate circuitry

SPECIFICATIONS:

Electrical Rating:	120 VAC, 15 Amps (1,800 Watts)
Outputs:	7
Max Surge Voltage:	6 KV
Max Surge Dissipation:	720 Joules
Max SPIKE Current:	29500 Amps
Max Clamping Ratio:	1.2 : 1
Clamping Voltage:	330 Volts
Clamping Response Time:	Less than 1 nanoseconds
Temperature Range	- 40 C to + 80 C
EMI / RFI:	Up to 10 dB

\$10,000
Equipment Insurance



**LIFETIME
WARRANTY**

Maruson Technology Corp

Tel: 626.912.8388 Fax: 626.912.8680 Web Site: www.MarusonUSA.com

MARUSON TECHNOLOGY

Surge Protector

This surge protector is recommended for Computers, Stereos, VCR's, TV's Small Appliances and many other Electrical and Electronic Items

SUG-B906NT



On/Off switch



Power 9 ground outlets



*Surge indicator
Ground indicator*



*For Tel/Fax/
Modem/Network*



STANDARD FEATURES:

- * 6 ft / 14 gauge heavy-duty power cord with right-angle plug for convenient connectivity
- * Isolated Power Filter Technology to reduce line noise
- * UL 1449 rating of 330V for safety
- * Diagnostic indicator lights to signal problems before equipment is connected
- * Rugged. Flame-resistant plastic casing to prevent damage to intricate circuitry

SPECIFICATIONS:

Electrical Rating:	120 VAC, 15 Amps (1,800 Watts)
Outputs:	9
Max Surge Voltage:	6 KV
Max Surge Dissipation:	680 Joules
Max SPIKE Current:	31500 Amps
Max Clamping Ratio:	1.2 : 1
Clamping Voltage:	330 Volts
Clamping Response Time:	Less than 1 nanoseconds
Temperature Range	- 40 C to + 80 C
EMI / RFI:	Up to 10 dB

\$10,000
Equipment Insurance



**LIFETIME
WARRANTY**

Maruson Technology Corp

Tel: 626.912.8388 Fax: 626.912.8680 Web Site: www.MarusonUSA.com

MARUSON TECHNOLOGY

Surge Protector

This surge protector is recommended for Computers, Stereos, VCR's, TV's Small Appliances and many other Electrical and Electronic Items

SUG-A906VT



On/Off switch



Power 9 ground outlets



*Surge indicator
Ground indicator*



For Tel/Fax/Modem



TV/SAT Protection



STANDARD FEATURES:

- * 6 ft / 14 gauge heavy-duty power cord with right-angle plug for convenient connectivity
- * Isolated Power Filter Technology to reduce line noise
- * UL 1449 rating of 330V for safety
- * Diagnostic indicator lights to signal problems before equipment is connected
- * Rugged. Flame-resistant plastic casing to prevent damage to intricate circuitry

SPECIFICATIONS:

Electrical Rating:	120 VAC, 15 Amps (1,800 Watts)
Outputs:	9
Max Surge Voltage:	6 KV
Max Surge Dissipation:	1500 Joules
Max SPIKE Current:	49500 Amps
Max Clamping Ratio:	1.2 : 1
Clamping Voltage:	330 Volts
Clamping Response Time:	Less than 1 nanoseconds
Temperature Range	- 40 C to + 80 C
EMI / RFI:	Up to 50 dB

\$25,000
Equipment Insurance



**LIFETIME
WARRANTY**

Maruson Technology Corp

Tel: 626.912.8388 Fax: 626.912.8680 Web Site: www.MarusonUSA.com